

TABLE I
SPECIFIC POLLUTANT
Maximum Daily Discharge Limitations (mg/L)

<u>Parameter</u>	<u>Maximum Daily Discharge Concentration</u>
Flow	Monitor only
Biochemical Oxygen Demand (BOD5)	1000
Chemical Oxygen Demand (COD)	1000
Oils and Grease (O/G)	100
Total Suspended Solids (TSS)	750
Arsenic, Total (As, Total)	1.0
Beryllium, Total (Be, Total)	Monitor only
Cadmium, Total (Cd, Total)	0.04
Chromium Total (Cr, Total)	2.0
Color	Monitor only
Copper, Total (Cu, Total)	1.0
Cyanide, Total (CN, Total)	1.0
Cyanide, Amenable (CN,Amenable)	1.0
Lead, Total (Pb, Total)	0.30
Mercury, Total (Hg, Total)	0.01
Molybdenum, Total (Mo, Total)	Monitor only
Nickel, Total (Ni, Total)	1.0
Oxidation Reduction Potential(ORP)	-50(mv)
Phenol	Monitor only
Silver, Total (Ag, Total)	Monitor only
Zinc, Total (Zn, Total)	4.0
pH	6.0 to 11.5
Sulfide	1.0
Petroleum Hydrocarbons (PHC)	30
Total Dissolved Solids(TDS)	Monitor only
Total Toxic Organics (TTO)	5.00
Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)	1.50(<i>Screening Limit Only</i>)

***Exceptions to Table I for Small Flow Commercial Users Only**

SPECIFIC POLLUTANT
Maximum Daily Discharge Limitations (mg/L)

<u>Parameter</u>	<u>Maximum Daily Discharge Concentration</u>
Biochemical Oxygen Demand (BOD5)	1500
Chemical Oxygen Demand (COD)	1500
Oils and Grease (O/G)	150
Petroleum Hydrocarbons (PHC)	45

*The remaining effluent limitations in Table I above apply to Small Flow Commercial Users.